



Swastik Enterprise & V H Enterprise
19, Vidhi Industrial Estate,
Inside Mahalaxmi Estate,
Bombay Conduct Road Phase - I,
GIDC, Vatva, Ahmedabad 382445.
State: Gujarat (INDIA)

www.xfinityweigh.com



Revolution and Precision - the two imperative qualities of weighing and balance. We are proud to have both on our hands, and want to bestow the qualities at your disposal as well

Our Vision

We often 'weigh' our options when it comes to choosing weight and balance options and services.

What if you come across market pioneers who not only excel in the highest quality standards but also keep the requirement of precision on the top?!

If that is what your work requires, you are skimming through the right glossies.



Our Mission

As weighing equipment experts, we aim to develop and calibrate through the high-quality process of designing weighing equipment, be it small-scale or large scale.

We believe what our delivered products and services speak for themselves before we can, and that is our true credit in the eyes of customers.

ELECTRONIC SCALES TECHNICAL SPECIFICATION

Characteristics Creep (as % of rated output/30 min)	0.03 %
Non Linearity (of rated output)	0.02%
Spindrift (counts per 10° C Max.)	2
Power consumption	10 W
AC Operating Voltage	230 V +/-10% 50Hz +/-1 Hz
DC Operating Voltage	6 V / 4.5 Ah
Operating Temperature	0° to 45° C
Relative Humidity (Non condensing)	90%
Warming Period	5 Minutes
Hysteresis (of rated output)	0.02%

FEATURES FOR ALL MODELS

-  Prompt Service & Large Sales Network
-  Hi-Tech Micro Controller Based Technology
-  High Speed Weighing Response
-  Attractive, Durable & Stunning Looks
-  Sharp, Bright Easy to Read LED Display
-  Auto Zero & Tare Facilities
-  No Moving Parts & Maintenance Free
-  Removable Stainless Steel Pan
-  Linearity & Auto Zero Adjustment
-  Audio Visual Over Load Indication
-  Over Load Protection
-  In Built Battery Backup
-  Kg / Liter Conversion (Optional)
-  Computer (RS 232) Interface Port (Optional)

CERTIFICATION



INDEX

Counter / Retail

- XT** HMFB_____01
- XT** HMPOLE_____01
- XT** MSFB_____02
- XT** MSPOLE_____02
- XT** SSFB_____03
- XT** SSPOLE_____03
- XT** MSMINI_____04
- XT** SSMINI_____04
- XT** MSMC_____05
- XT** SSMC_____05
- XT** SSPRC-FB_____06
- XT** SSPRC-P_____06



- XT** NEO_____07
- XT** NKSMART_____08
- XT** CHOTU_____08

Industrial / Retail

- XT** SS250_____09
- XT** MS250_____09
- XT** SS300_____10
- XT** MS300_____10

Industrial

- XT** SS400CK2_____11
- XT** MS400CK2_____11
- XT** SS400CK3_____12




- XT** MS400CK3_____12
- XT** SS400G1_____13
- XT** MS400G1_____13
- XT** SS400DD_____14
- XT** MS400DD_____14
- XT** SS500CK1_____15
- XT** MS500CK1_____15
- XT** SS500CK2_____16
- XT** MS500CK2_____16
- XT** SS500G1_____17
- XT** MS500G1_____17
- XT** SS500DD_____18
- XT** MS500DD_____18
- XT** SS600DD_____19
- XT** MS600DD_____19
- XT** SS600G1_____20
- XT** MS600G1_____20

Analytical & Precision

- XT** JW LED_____21
- XT** JW LCD_____22



XT HMFB



CAPACITY	ACC	PAN SIZE	CLASS
10kg	1gm	245X290mm	III
20kg	2gm		III
10/20kg	1/2gm		III
10/20/30kg	1/2/5gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications


- Grocery Stores
- Parcel Weighing
- Fruits & Vegetables
- Meats & Cheeses
- Retail Shops
- Dairy Units
- Industrial Use
- General Weighing
- Departmental Store
- Small Street Vendors

XT HMPOLE



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



4v. 6v.

XT MSFB



CAPACITY	ACC	PAN SIZE	CLASS
10kg	1gm	245X290mm	III
20kg	2gm		III
10/20kg	1/2gm		III
10/20/30kg	1/2/5gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Grocery Stores
- Parcel Weighing
- Fruits & Vegetables
- Meats & Cheeses
- Retail Shops
- Dairy Units
- Industrial Use
- General Weighing
- Departmental Store
- Small Street Vendors

XT MSPOLE



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



4v. 6v.

XT SSFB



CAPACITY	ACC	PAN SIZE	CLASS
10kg	1gm	245X290mm	III
20kg	2gm		III
10/20kg	1/2gm		III
10/20/30kg	1/2/5gm		III

Features

- Piece Counting Facilities
- M+ & MR Facilities
- Auto Off Timer
- N/G Facilities
- Direct Sense the e Value
- Rechargeable Battery Backup
- Strong, Aesthetic look & Finishing
- Battery Saving Mode
- AC / Battery Indication Function
- Never Shift Calibration
- Auto Gain Systems
- Moisture Protection
- High Resolution with fast response time
- Long life/Soft Touch Dome Keys


Applications

- Grocery Stores
- Parcel Weighing
- Fruits & Vegetables
- Meats & Cheeses
- Retail Shops
- Dairy Units
- Industrial Use
- General Weighing
- Departmental Store
- Small Street Vendors

XT SSPOLE



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display



Function Key
Tare, N/G, Unit, M+, MR, Enter



XT MSMINI



CAPACITY	ACC	PAN SIZE	CLASS
3kg	500mg	175X225mm	III
5kg	500mg		III
10kg	500mg		III
5/10kg	0.5/1 gm		III
10kg	1 gm		III
20kg	2gm		III
10/20kg	1/2gm		III

Features

- Piece Counting Facilities
- M+ & MR Facilities
- Auto Off Timer
- N/G Facilities
- Direct Sense the e Value
- Rechargeable Battery Backup
- Strong, Aesthetic look & Finishing
- Battery Saving Mode
- AC / Battery Indication Function
- Never Shift Calibration
- Auto Gain Systems
- Moisture Protection
- High Resolution with fast response time
- Long life/Soft Touch Dome Keys

Applications

- Grocery Stores
- Parcel Weighing
- Fruits & Vegetables
- Meats & Cheeses
- Retail Shops
- Dairy Units
- Industrial Use
- General Weighing
- Departmental Store
- Small Street Vendors

XT SSMINI



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display



Function Key
Tare, N/G, Unit, M+, MR, Enter



XT MSMC



CAPACITY	ACC	PAN SIZE	CLASS
3kg	500mg	145X165mm	III
5kg	500mg		III
10kg	500mg		III
5/10kg	0.5/1gm		III
10kg	1gm		III
20kg	2gm		III
10/20kg	1/2gm		III

Features

- Piece Counting Facilities
- M+ & MR Facilities
- Auto Off Timer
- N/G Facilities
- Direct Sense the e Value
- Rechargeable Battery Backup
- Strong, Aesthetic look & Finishing
- Battery Saving Mode
- AC / Battery Indication Function
- Never Shift Calibration
- Auto Gain Systems
- Moisture Protection
- High Resolution with fast response time
- Long life/Soft Touch Dome Keys

Applications

- Grocery Stores
- Parcel Weighing
- Fruits & Vegetables
- Meats & Cheeses
- Retail Shops
- Dairy Units
- Industrial Use
- General Weighing



XT SSMC



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display



- Function Key**
- Tare, N/G, Unit, M+, MR, Enter

XT SSPRC-FB



CAPACITY	ACC	PAN SIZE	CLASS
10/20/30kg	1/2/5gm	240X290mm	III

Features

- Piece Counting Facilities
- M+ & MR Facilities
- Auto Off Timer
- N/G Facilities
- Direct Sense the e Value
- Rechargeable Battery Backup
- Strong, Aesthetic look & Finishing
- Battery Saving Mode
- AC / Battery Indication Function
- Never Shift Calibration
- Auto Gain Systems
- Moisture Protection
- High Resolution with fast response time
- Long life/Soft Touch Dome Keys

Applications

- Grocery Stores
- Parcel Weighing
- Fruits & Vegetables
- Meats & Cheeses
- Retail Shops
- Dairy Units
- Industrial Use
- General Weighing
- Wholesale Meat Supply



XT SSPRC-P



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display



- Function Key**
- Tare, N/G, Unit, M+, MR, Enter

XT NEO



Features

- Piece Counting Facilities
- M+ & MR Facilities
- Auto Off Timer
- N/G Facilities
- Direct Sense the e Value
- Rechargeable Battery Backup
- Strong, Aesthetic look & Finishing
- Battery Saving Mode
- AC / Battery Indication Function
- Never Shift Calibration
- Auto Gain Systems
- Moisture Protection
- High Resolution with fast response time
- Long life/Soft Touch Dome Keys


CAPACITY	ACC	PAN SIZE	CLASS
3kg	500mg	185X235mm	III
5kg	500mg		III
10kg	500mg		III
5/10kg	0.5/1gm		III
10kg	1gm		III
20kg	2gm		III
10/20kg	1/2gm		III
10/20/30kg	1/2/5gm		III

Applications


- Grocery Stores
- Parcel Weighing
- Fruits & Vegetables
- Meats & Cheeses
- Retail Shops
- Dairy Units
- Industrial Use
- General Weighing
- Departmental Store
- Small Street Vendors
- Chemical industries
- Dairy and Milk stores
- Fishing industries

- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT NKSMART



CAPACITY	ACC	PAN SIZE	CLASS
3kg	500mg	175X225mm	III
5kg	500mg		III
10kg	500mg		III
5/10kg	0.5/1gm		III
10kg	1gm		III
20kg	2gm		III
10/20kg	1/2gm		III

Features

- Piece Counting Facilities
- M+ & MR Facilities
- Auto Off Timer
- N/G Facilities
- Direct Sense the e Value
- Rechargeable Battery Backup
- Strong, Aesthetic look & Finishing
- Battery Saving Mode
- AC / Battery Indication Function
- Never Shift Calibration
- Auto Gain Systems
- Moisture Protection
- High Resolution with fast response time
- Long life/Soft Touch Dome Keys

Applications

- Grocery Stores
- Parcel Weighing
- Fruits & Vegetables
- Retail Shops
- Dairy Units
- General Weighing
- Departmental Store
- Small Street Vendors
- Chemical industries
- Dairy and Milk stores
- Fishing industries



XT CHOTU




CAPACITY	ACC	PAN SIZE	CLASS
3kg	500mg	175X230mm	III
5kg	500mg		III
10kg	1gm		III
20kg	2gm		III
10/20kg	1/2gm		III

- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS250



CAPACITY	ACC	PAN SIZE	CLASS
30kg	5gm	250X250mm	III
50kg	5gm		III

Features

- Piece Counting Facilities
- M+ & MR Facilities
- Auto Off Timer
- N/G Facilities
- Direct Sense the e Value
- Rechargeable Battery Backup
- Strong, Aesthetic look & Finishing
- Battery Saving Mode
- AC / Battery Indication Function
- Never Shift Calibration
- Auto Gain Systems
- Moisture Protection
- High Resolution with fast response time
- Long life/Soft Touch Dome Keys

Applications

- Agriculture Fields
- Poultry Farms
- Logistics
- Scrap Dealer
- Grocery Stores
- Vegetables Shop
- Small Industries



XT MS250



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display



Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS300



CAPACITY	ACC	PAN SIZE	CLASS
50kg	5gm	300X300mm	III
100kg	10gm		III
50/100kg	5/10gm		III
150kg	20gm		III

Features

- Piece Counting Facilities
- M+ & MR Facilities
- Auto Off Timer
- N/G Facilities
- Direct Sense the e Value
- Rechargeable Battery Backup
- Strong, Aesthetic look & Finishing
- Battery Saving Mode
- AC / Battery Indication Function
- Never Shift Calibration
- Auto Gain Systems
- Moisture Protection
- High Resolution with fast response time
- Long life/Soft Touch Dome Keys

Applications

- Agriculture Fields
- Poultry Farms
- Logistics
- Scrap Dealer
- Grocery Stores
- Vegetables Shop
- Small Industries



XT MS300




- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display



Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS400CK2



CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	400x400mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial



XT MS400CK2



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS400CK3



CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	400x400mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial



XT MS400CK3



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS400G1



CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	400x400mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features


- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial



XT MS400G1



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS400DD



CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	400x400mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial



XT MS400DD




- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS500CK1




CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	500X500mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial



XT MS500CK1



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS500CK2



CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	500X500mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial



XT MS500CK2



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS500G1



CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	500X500mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial




XT MS500G1



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS500DD



CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	500X500mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial



XT MS500DD



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS600DD




CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	600X600mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Metal Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial
- Used in Warehouses



XT MS600DD



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT SS600G1



CAPACITY	ACC	PAN SIZE	CLASS
100kg	10gm	600X600mm	III
200kg	20gm		III
100/200kg	10/20gm		III
300kg	50gm		III
100/200/300kg	10/20/50gm		III

Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

Applications

- Scrap Yards
- Market Yards
- Rice Mandy
- Ration Shop
- Logistics
- Suitable for Industry
- Commercial
- Used in Warehouses



XT MS600G1



- Optional**
- RS 232 Port Setting upto 3 Steps
 - LED Display

Function Key
Tare, N/G, Unit, M+, MR, Enter



XT JW LED



Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys


CAPACITY	ACC	PAN SIZE	CLASS
300gm	1mg	115mm	II
500gm	1mg		II
600gm	10mg		II
1200gm	10mg		II
1500gm	10mg		II

Applications

- Jewellery Stores
- Jewellery Manufacturing
- Diamond Factory
- Laboratory
- Chemical Industry

Optional

- RS 232 Port Setting upto 3 Steps
- LED Display



Function Key

- Low battery indicator
- Auto power-off function
- Digital tare function
- Stable weight indicator
- Power fail retain function
- In-built dual display
- Unit conversion: gram to carat

XT JW LCD



Features

- Piece Counting Facilities
- Battery Saving Mode
- M+ & MR Facilities
- AC / Battery Indication Function
- Auto Off Timer
- Never Shift Calibration
- N/G Facilities
- Auto Gain Systems
- Direct Sense the e Value
- Moisture Protection
- Rechargeable Battery Backup
- High Resolution with fast response time
- Strong, Aesthetic look & Finishing
- Long life/Soft Touch Dome Keys

CAPACITY	ACC	PAN SIZE	CLASS
300gm	1mg	115mm	II
500gm	1mg		II
600gm	10mg		II
1200gm	10mg		II
1500gm	10mg		II

Applications

- Jewellery Stores
- Jewellery Manufacturing
- Diamond Factory
- Laboratory
- Chemical Industry

Optional

- RS 232 Port Setting upto 3 Steps

Function Key

- Low battery indicator
- Auto power-off function
- Digital tare function
- Stable weight indicator
- Power fail retain function
- In-built dual display
- Unit conversion: gram to carat

